

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 27 September 2022

Page 1 of 8

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers.

Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
ADHD Agents							
Amphetamine mixed salts	◆	◆	◆	■	◆	◆	◆
Atomoxetine	◆	◆	◆	■	◆	◆	◆
Dexamfetamine	◆	◆	◆	■	◆	◆	◆
Dexmethylphenidate	◆	◆	◆	◆	◆	◆	◆
Guanfacine	◆	◆	◆	■	◆	◆	◆
Lisdexamfetamine	◆	◆	◆	■	◆	◆	◆
Methylphenidate	◆	◆	◆	◆	◆	◆	◆
Anaesthetics & Muscle Relaxants							
Alcuronium	▲	◆	◆	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	■	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆
Cyclobenzaprine	◆	◆	◆	▲	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	■	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	■	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	■	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆	◆	◆
Sufentanil	◆	◆	◆	■	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆	◆
Analgesics							
Alfentanil	◆	◆	◆	■	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	▲	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	▲	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	●	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	■	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	◆	◆	◆	◆
Fentanyl	◆	◆	◆	■	◆	◆	◆
Hydrocodone	◆	◆	◆	■	◆	◆	◆
Hydromorphone	◆	◆	◆	■	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆
Meloxicam	◆	◆	◆	◆	◆	◆	◆
Metamizole	◆	◆	◆	■	◆	◆	◆
Methadone	◆	◆	◆	▲	◆	◆	◆
Morphine	◆	◆	◆	■	◆	◆	◆
Nabumetone	◆	◆	◆	◆	▲	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	■	◆	◆	◆
Paracetamol (Acetaminophen)	■	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	●	◆	◆	◆
Piroxicam	◆	◆	◆	■	◆	◆	◆
Remifentanyl	◆	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	■	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Antiarrhythmics							
Amiodarone	◆	◆	◆	●	◆	◆	◆
Bepidil	◆	◆	◆	●	◆	◆	◆
Digoxin	◆	◆	◆	■	◆	◆	◆
Disopyramide	◆	◆	◆	●	◆	◆	◆
Dofetilide	◆	◆	◆	●	◆	◆	◆
Dronedarone	◆	◆	◆	●	◆	◆	◆
Flecainide	◆	◆	◆	●	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	■	◆	◆	◆
Mexiletine	◆	◆	◆	■	◆	◆	◆
Propafenone	◆	◆	◆	●	◆	◆	◆
Quinidine	◆	◆	◆	●	◆	◆	◆
Antibacterials							
Amikacin	◆	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	■	◆	◆	◆
Capreomycin	◆	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆
Cefepime	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	◆	■	◆	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	▲	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	■	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	■	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	◆	◆	◆	◆
Fusidic acid (oral or IV)	◆	◆	◆	●	◆	◆	◆
Fusidic acid (topical)	◆	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆	◆
Pyrazinamide	■	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 27 September 2022

Page 2 of 8

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers.

Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Antibacterials (continued)							
Rifabutin	◆	◆	◆	■	◆	◆	◆
Rifampicin	◆	◆	◆	●	◆	▲	◆
Rifapentine	◆	◆	◆	●	◆	▲	◆
Rifaximin	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆	◆
Telithromycin	◆	◆	◆	■	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆	◆
Anti-coagulant, Anti-platelet and Fibrinolytic							
Acenocoumarol	◆	◆	◆	■	■	◆	◆
Apixaban	◆	◆	◆	■	◆	◆	◆
Argatroban	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	■	◆	◆	◆
Cilostazol	▲	◆	◆	■	◆	◆	◆
Clopidogrel	◆	◆	◆	■	◆	◆	◆
Clopidogrel (recently stented patients)	◆	◆	◆	●	◆	◆	◆
Dabigatran	◆	◆	◆	■	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	■	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	■	■	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	●	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	●	◆	◆	◆
Tinzaparin	◆	◆	◆	◆	◆	◆	◆
Vorapaxar	◆	◆	◆	●	◆	◆	◆
Warfarin	■	◆	◆	■	■	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Anticonvulsants							
Brivaracetam	■	◆	◆	◆	◆	◆	◆
Carbamazepine	◆	◆	◆	●	◆	▲	◆
Cenobamate	◆	◆	◆	●	◆	▲	◆
Clonazepam	◆	◆	◆	●	◆	◆	◆
Eslicarbazepine	◆	◆	◆	▲	◆	◆	◆
Ethosuximide	◆	◆	◆	■	◆	◆	◆
Gabapentin	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	◆	◆	◆	▲	◆	◆	◆
Perampanel	◆	◆	◆	■	◆	◆	◆
Phenobarbital (Phenobarbitone)	◆	◆	◆	●	◆	▲	◆
Phenytoin	◆	◆	◆	●	■	▲	◆
Pregabalin	◆	◆	◆	◆	◆	◆	◆
Primidone	◆	◆	◆	●	◆	▲	◆
Retigabine	◆	◆	◆	◆	◆	◆	◆
Rufinamide	◆	◆	◆	▲	◆	◆	◆
Sodium valproate	◆	◆	◆	▲	◆	◆	◆
Sultiame	◆	◆	◆	■	◆	◆	◆
Tiagabine	◆	◆	◆	■	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆	◆	◆
Valproate semisodium (divalproex)	◆	◆	◆	▲	◆	◆	◆
Valproic acid	◆	◆	◆	▲	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆
Antidepressants							
Agomelatine	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	▲	◆	◆	▲	◆	◆	◆
Bupropion	◆	◆	◆	▲	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆	◆
Clomipramine	▲	◆	◆	▲	◆	◆	◆
Desipramine	◆	◆	◆	▲	◆	◆	◆
Doxepin	◆	◆	◆	▲	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	▲	◆	◆	◆
Imipramine	◆	◆	◆	▲	◆	◆	◆
Lithium	◆	◆	◆	◆	◆	◆	◆
Maprotiline	▲	◆	◆	▲	◆	◆	◆
Mianserin	◆	◆	◆	▲	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	▲	◆	◆	◆
Nefazodone	◆	◆	◆	■	◆	◆	◆
Nortriptyline	▲	◆	◆	▲	◆	◆	◆
Paroxetine	◆	◆	◆	▲	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	■	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆	◆
St John's wort	◆	◆	◆	●	◆	▲	◆
Tranlycypromine	◆	◆	◆	■	◆	◆	◆
Trazodone	◆	◆	◆	■	◆	◆	◆
Trimipramine	◆	◆	◆	▲	◆	◆	◆
Venlafaxine	◆	◆	◆	▲	◆	◆	◆
Vortioxetine	◆	◆	◆	▲	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 27 September 2022

Page 3 of 8

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers.

Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Anti-diabetics							
Acarbose	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	■	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	■	◆	◆	◆
Pioglitazone	■	◆	◆	▲	◆	◆	◆
Repaglinide	■	◆	◆	■	◆	◆	◆
Rosiglitazone	■	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	■	◆	◆	◆
Semaglutide	◆	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆
Antifungals							
Amphotericin B	◆	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	▲	◆	◆	◆
Isavuconazole	◆	◆	◆	■	◆	◆	◆
Itraconazole	◆	◆	◆	■	◆	◆	◆
Ketoconazole	◆	◆	◆	■	◆	◆	◆
Micafungin	◆	◆	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	■	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	■	◆	◆	◆
Antihistamines							
Cetirizine	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	▲	◆	◆	◆
Loratadine	◆	◆	◆	▲	◆	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Antimalarials							
Amodiaquine	■	◆	◆	■	◆	◆	◆
Artemether	◆	◆	◆	▲	◆	◆	◆
Artesunate	◆	◆	◆	▲	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	■	◆	●	◆
Halofantrine	◆	◆	◆	●	◆	◆	◆
Hydroxychloroquine	◆	◆	◆	▲	◆	●	◆
Lumefantrine	◆	◆	◆	■	◆	◆	◆
Mefloquine	◆	◆	◆	■	◆	◆	◆
Piperazine	◆	◆	◆	■	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	■	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆	◆
Antimigraine Agents							
Almotriptan	◆	◆	◆	■	◆	◆	◆
Dihydroergotamine	◆	◆	◆	●	◆	◆	◆
Eletriptan	◆	◆	◆	●	◆	◆	◆
Ergotamine	◆	◆	◆	●	◆	◆	◆
Frovatriptan	◆	◆	◆	◆	◆	◆	◆
Naratriptan	◆	◆	◆	◆	◆	◆	◆
Rimegepant	◆	◆	◆	●	◆	◆	◆
Rizatriptan	◆	◆	◆	◆	◆	◆	◆
Sumatriptan	◆	◆	◆	◆	◆	◆	◆
Ubrogepant	◆	◆	◆	●	◆	◆	◆
Zolmitriptan	◆	◆	◆	■	◆	◆	◆
Antipsychotics/Neuroleptics							
Amisulpride	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	■	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆	◆	◆
Brexipiprazole	◆	◆	◆	■	◆	◆	◆
Caripraxine	◆	◆	◆	●	◆	◆	◆
Chlorpromazine	▲	◆	◆	▲	◆	◆	◆
Clozapine	◆	◆	◆	●	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	■	◆	◆	◆
Iloperidone	◆	◆	◆	■	◆	◆	◆
Levomepromazine	◆	◆	◆	▲	◆	◆	◆
Lumateperone	◆	◆	◆	●	◆	◆	◆
Lurasidone	◆	◆	◆	●	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	▲	◆	◆	◆
Perazine	◆	◆	◆	■	◆	◆	◆
Periciazine	◆	◆	◆	◆	◆	◆	◆
Perphenazine	▲	◆	◆	▲	◆	◆	◆
Pimavanserin	◆	◆	◆	■	◆	◆	◆
Pimozide	◆	◆	◆	●	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆	◆	◆
Quetiapine	▲	◆	◆	●	◆	◆	◆
Risperidone	◆	◆	◆	■	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆	◆	◆
Thioridazine	▲	◆	◆	■	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	■	◆	◆	◆
Zotepine	◆	◆	◆	■	◆	◆	◆
Zuclopenthixol	◆	◆	◆	■	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 27 September 2022

Page 4 of 8

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers.

Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	IMAB Tx
Antivirals							
Aciclovir	◆	◆	◆	◆	◆	◆	◆
Adefovir	■	◆	◆	◆	◆	◆	◆
Baloxavir	◆	◆	◆	◆	◆	◆	◆
Brincidofovir	◆	◆	◆	■	◆	◆	◆
Bulevirtide	◆	◆	◆	●	◆	◆	◆
Cidofovir	■	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆
Famciclovir	■	◆	◆	◆	◆	◆	◆
Foscarnet	◆	◆	◆	◆	◆	◆	◆
Ganciclovir	■	◆	◆	◆	◆	◆	◆
Letermovir	◆	◆	◆	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆
Rimantadine	◆	◆	◆	◆	◆	◆	◆
Tecovirimat	◆	◆	◆	◆	◆	◆	◆
Telbivudine	◆	◆	◆	◆	◆	◆	◆
Tenofovir alafenamide (HBV)	◆	◆	◆	◆	◆	◆	◆
Valaciclovir (Valacyclovir)	◆	◆	◆	◆	◆	◆	◆
Zanamivir	◆	◆	◆	◆	◆	◆	◆
Anxiolytics/Hypnotics/Sedatives							
Alprazolam	◆	◆	◆	■	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	■	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	■	◆	◆	◆
Clobazam	◆	◆	◆	■	◆	◆	◆
Clorazepate	◆	◆	◆	●	◆	◆	◆
Diazepam	◆	◆	◆	●	◆	◆	◆
Estazolam	◆	◆	◆	●	◆	◆	◆
Flunitrazepam	◆	◆	◆	■	◆	◆	◆
Flurazepam	◆	◆	◆	●	◆	◆	◆
Hydroxyzine	◆	◆	◆	■	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	●	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	■	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆
Suvorexant	◆	◆	◆	●	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	●	◆	◆	◆
Zaleplon	■	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	■	◆	◆	◆
Zopiclone	◆	◆	◆	■	◆	◆	◆
Beta Blockers							
Atenolol	◆	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	IMAB Tx
Bronchodilators							
Acidinium bromide	◆	◆	◆	◆	◆	◆	◆
Aminophylline	■	◆	◆	▲	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	●	◆	◆	◆
Theophylline	■	◆	◆	▲	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆
Calcium Channel Blockers							
Amlodipine	◆	◆	◆	■	◆	◆	◆
Diltiazem	◆	◆	◆	■	◆	◆	◆
Felodipine	▲	◆	◆	■	◆	◆	◆
Nicardipine	◆	◆	◆	■	◆	◆	◆
Nifedipine	◆	◆	◆	■	◆	◆	◆
Nisoldipine	◆	◆	◆	■	◆	◆	◆
Nitrendipine	◆	◆	◆	■	◆	◆	◆
Verapamil	◆	◆	◆	■	◆	◆	◆
Cancer Therapies							
Abemaciclib	◆	◆	◆	■	◆	◆	◆
Abiraterone	◆	◆	◆	◆	◆	◆	◆
Abrocitinib	▲	◆	◆	◆	◆	◆	◆
Acalabrutinib	◆	◆	◆	●	◆	◆	◆
Afatinib	◆	◆	◆	■	◆	◆	◆
Alectinib	◆	◆	◆	◆	◆	◆	◆
Alpelisib	◆	◆	◆	◆	◆	◆	◆
Amivantamab	◆	◆	◆	◆	◆	◆	◆
Anastrozole	◆	◆	◆	▲	◆	◆	◆
Apalutamide	◆	◆	◆	●	▲	◆	◆
Atezolizumab	◆	◆	◆	◆	◆	◆	◆
Avapritinib	◆	◆	◆	●	◆	◆	◆
Bexarotene	◆	◆	◆	●	◆	◆	◆
Binimetinib	◆	◆	◆	▲	◆	◆	◆
Bosutinib	◆	◆	◆	●	◆	◆	◆
Brigatinib	◆	◆	◆	■	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆	◆
Capmatinib	◆	◆	◆	▲	◆	◆	◆
Ceritinib	◆	◆	◆	■	◆	◆	◆
Cobimetinib	◆	◆	◆	●	◆	◆	◆
Crizotinib	◆	◆	◆	●	◆	◆	◆
Dabrafenib	■	◆	◆	●	◆	◆	◆
Dacomitinib	◆	◆	◆	◆	◆	◆	◆
Dasatinib	◆	◆	◆	■	◆	◆	◆
Durvalumab	◆	◆	◆	◆	◆	◆	◆
Enasidenib	◆	◆	◆	●	◆	◆	◆
Encorafenib	◆	◆	◆	■	◆	◆	◆
Enzalutamide	◆	◆	◆	●	▲	◆	◆
Erlotinib	◆	◆	◆	■	◆	◆	◆
Exemestane	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 27 September 2022

Page 5 of 8

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers. Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMv/r	NTZ	RDV	MAB Tx
Cancer Therapies (continued)							
Fostamatinib	◆	◆	◆	■	◆	◆	◆
Fulvestrant	◆	◆	◆	◆	◆	◆	◆
Gefitinib	◆	◆	◆	■	◆	◆	◆
Gilteritinib	◆	◆	◆	■	◆	◆	◆
Hydroxycarbamide (Hydroxyurea)	◆	◆	◆	◆	◆	◆	◆
Ibrutinib	◆	◆	◆	●	◆	◆	◆
Imatinib	◆	◆	◆	■	◆	◆	◆
Infigratinib	◆	◆	◆	●	◆	◆	◆
Ivosidenib	◆	◆	◆	●	◆	▲	◆
Lapatinib	◆	◆	◆	■	◆	◆	◆
Lenalidomide	◆	◆	◆	◆	◆	◆	◆
Letrozole	◆	◆	◆	▲	◆	◆	◆
Lorlatinib	◆	◆	◆	●	◆	◆	◆
Midostaurin	◆	◆	◆	●	◆	◆	◆
Mitotane	◆	◆	◆	●	◆	◆	◆
Necitumumab	◆	◆	◆	◆	◆	◆	◆
Neratinib	◆	◆	◆	●	◆	◆	◆
Nilotinib	◆	◆	◆	■	◆	◆	◆
Olaparib	◆	◆	◆	■	◆	◆	◆
Osimertinib	◆	◆	◆	◆	◆	◆	◆
Palbociclib	◆	◆	◆	■	◆	◆	◆
Panobinostat	◆	◆	◆	■	◆	◆	◆
Pazopanib	◆	◆	◆	■	◆	◆	◆
Pemetrexed	◆	◆	◆	◆	◆	◆	◆
Pertuzumab	◆	◆	◆	◆	◆	◆	◆
Pomalidomide	◆	◆	◆	◆	◆	◆	◆
Ponatinib	◆	◆	◆	■	◆	◆	◆
Regorafenib	◆	◆	◆	●	◆	◆	◆
Ribociclib	◆	◆	◆	■	◆	◆	◆
Rituximab	◆	◆	◆	◆	◆	◆	◆
Selpercatinib	◆	◆	◆	■	◆	◆	◆
Sorafenib	◆	◆	◆	●	◆	◆	◆
Sotorasib	◆	◆	◆	▲	◆	◆	◆
Sunitinib	◆	◆	◆	■	◆	◆	◆
Talazoparib	◆	◆	◆	■	◆	◆	◆
Tamoxifen	◆	◆	◆	▲	◆	◆	◆
Toremifene	◆	◆	◆	●	◆	◆	◆
Trametinib	◆	◆	◆	◆	◆	◆	◆
Trastuzumab	◆	◆	◆	◆	◆	◆	◆
Trastuzumab emtansine	◆	◆	◆	■	◆	◆	◆
Vemurafenib	◆	◆	◆	■	◆	◆	◆
Venetoclax	◆	◆	◆	●	◆	◆	◆
Vinblastine	◆	◆	◆	■	◆	◆	◆
Vincristine	◆	◆	◆	■	◆	◆	◆

	FAVI	MOL	NIC	NMv/r	NTZ	RDV	MAB Tx
Contraceptives/HRT							
Desogestrel (COC)	▲	◆	◆	▲	◆	◆	◆
Desogestrel (POP)	▲	◆	◆	◆	◆	◆	◆
Drospirenone (COC)	▲	◆	◆	▲	◆	◆	◆
Drospirenone (HRT)	▲	◆	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	▲	◆	◆	◆	◆	◆	◆
Estradiol	▲	◆	◆	◆	◆	◆	◆
Ethinylestradiol	▲	◆	◆	▲	◆	◆	◆
Etonogestrel (implant)	▲	◆	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	▲	◆	◆	▲	◆	◆	◆
Gestodene (COC)	▲	◆	◆	▲	◆	◆	◆
Levonorgestrel (COC)	▲	◆	◆	▲	◆	◆	◆
Levonorgestrel (emergency contrac.)	▲	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	▲	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	▲	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	▲	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot inj.)	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	▲	◆	◆	◆	◆	◆	◆
Norelgestromin (patch)	▲	◆	◆	◆	◆	◆	◆
Norethisterone (COC)	▲	◆	◆	▲	◆	◆	◆
Norethisterone (HRT)	▲	◆	◆	◆	◆	◆	◆
Norethisterone (IM depot)	▲	◆	◆	◆	◆	◆	◆
Norethisterone (POP)	▲	◆	◆	◆	◆	◆	◆
Norgestimate (COC)	▲	◆	◆	▲	◆	◆	◆
Norgestrel (COC)	▲	◆	◆	▲	◆	◆	◆
Norgestrel (HRT)	▲	◆	◆	◆	◆	◆	◆
Ulipristal	▲	◆	◆	◆	◆	◆	◆
Covid-19 Antiviral Therapies							
Bamlanivimab/Etesevimab	◆	◆	◆	◆	◆	◆	◆
Bebtelovimab	◆	◆	◆	◆	◆	◆	◆
Casirivimab/Imdevimab	◆	◆	◆	◆	◆	◆	◆
Favipiravir	◆	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆
Nirmatrelvir + ritonavir (5 days)	◆	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆	◆	◆
Sotrovimab	◆	◆	◆	◆	◆	◆	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆	◆
Covid-19 Host-directed Therapies							
Anakinra	◆	◆	◆	◆	◆	◆	◆
Baricitinib	▲	◆	◆	◆	◆	◆	◆
Budesonide (inhaled)	◆	◆	◆	▲	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆	◆
Covid 19 convalescent plasma	◆	◆	◆	◆	◆	◆	◆
Covid-19 vaccines	◆	◆	◆	◆	◆	◆	*
Dexamethasone (low dose)	◆	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (oral or IV)	◆	◆	◆	◆	◆	◆	◆
Imatinib (14 days)	◆	◆	◆	■	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone (oral or IV)	◆	◆	◆	◆	◆	◆	◆
Ruxolitinib	◆	◆	◆	■	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆	◆

*The CDC advises that tixagevimab/cilgavimab used for pre-exposure prophylaxis (PrEP) should be administered at least two weeks after Covid-19 vaccination. Check local guidelines.

Key to abbreviations

FAVI	Favipiravir	NMv/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 27 September 2022

Page 6 of 8

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers.

Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Cystic Fibrosis Agents							
Ivacaftor	◆	◆	◆	■	◆	◆	◆
Ivacaftor/lumacaftor	◆	◆	◆	●	◆	▲	◆
Ivacaftor/tezacaftor	◆	◆	◆	■	◆	◆	◆
Ivacaftor/tezacaftor/elexacaftor	◆	◆	◆	■	◆	◆	◆
Erectile Dysfunction Agents							
Avanafil	◆	◆	◆	●	◆	◆	◆
Sildenafil (erectile dysfunction)	◆	◆	◆	■	◆	◆	◆
Tadalafil (erectile dysfunction)	◆	◆	◆	■	◆	◆	◆
Vardenafil	◆	◆	◆	●	◆	◆	◆
Gastrointestinal Agents							
Alosetron	◆	◆	◆	■	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆
Cimetidine	■	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	●	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	■	◆	◆	◆
Magnesium salts (oral)	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆
Naloxegol	◆	◆	◆	●	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)							
Aprepitant	◆	◆	◆	■	◆	◆	◆
Cyclizine	◆	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	●	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	■	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆	◆
HCV DAAs							
Elbasvir/Grazoprevir	◆	◆	◆	●	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	●	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	◆	■	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	◆	■	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	■	◆	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
HIV Antiretroviral Therapies							
Abacavir	◆	◆	◆	◆	◆	◆	◆
Albuvirtide	◆	◆	◆	▲	◆	◆	◆
Atazanavir alone	◆	◆	◆	■	◆	◆	◆
Atazanavir + ritonavir	◆	◆	◆	■	◆	◆	◆
Atazanavir/cobicistat	◆	◆	◆	■	◆	◆	◆
Bictegravir/Emtricitabine/TAF	◆	◆	◆	◆	◆	◆	◆
Cabotegravir (oral)	◆	◆	◆	◆	◆	◆	◆
Cabotegravir/rilpivirine (long acting)	◆	◆	◆	◆	◆	◆	◆
Darunavir + ritonavir	◆	◆	◆	■	◆	◆	◆
Darunavir/cobicistat	◆	◆	◆	■	◆	◆	◆
Darunavir/Cobi/Emtricitabine/TAF	◆	◆	◆	■	◆	◆	◆
Dolutegravir	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/Lamivudine	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/Rilpivirine	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/Abacavir/Lamivudine	◆	◆	◆	◆	◆	◆	◆
Doravirine	◆	◆	◆	◆	◆	◆	◆
Doravirine/Lamivudine/Tenofovir-DF	■	◆	◆	◆	◆	◆	◆
Efavirenz	◆	◆	◆	▲	◆	◆	◆
Elvitegravir/Cobi/Emtricitabine/TAF	◆	◆	◆	■	◆	◆	◆
Elvitegravir/Cobi/Emtricitabine/TDF	■	◆	◆	■	◆	◆	◆
Emtricitabine	◆	◆	◆	◆	◆	◆	◆
Emtricitabine/Tenofovir alafenamide	◆	◆	◆	◆	◆	◆	◆
Emtricitabine/Tenofovir-DF	■	◆	◆	◆	◆	◆	◆
Etravirine	◆	◆	◆	◆	◆	◆	◆
Fostemsavir	◆	◆	◆	◆	◆	◆	◆
Ibalizumab-uiyk	◆	◆	◆	◆	◆	◆	◆
Lamivudine	◆	◆	◆	◆	◆	◆	◆
Lopinavir/ritonavir	◆	◆	◆	■	◆	◆	◆
Maraviroc	◆	◆	◆	■	◆	◆	◆
Nevirapine	◆	◆	◆	▲	◆	◆	◆
Raltegravir	◆	◆	◆	◆	◆	◆	◆
Rilpivirine	◆	◆	◆	◆	◆	◆	◆
Rilpivirine/Emtricitabine/TAF	◆	◆	◆	◆	◆	◆	◆
Rilpivirine/Emtricitabine/TDF	◆	◆	◆	◆	◆	◆	◆
Tenofovir-DF	■	◆	◆	◆	◆	◆	◆
Zidovudine	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 27 September 2022

Page 7 of 8

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers. Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Hypertension / Heart Failure Agents							
Aliskiren	◆	◆	◆	●	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	●	◆	◆	◆
Bumetanide	◆	◆	◆	◆	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	■	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	●	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆
Eprosartan	◆	◆	◆	◆	◆	◆	◆
Finerenone	◆	◆	◆	●	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	■	◆	◆	◆
Irbesartan	◆	◆	◆	▲	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	▲	◆	◆	◆
Ivabradine	◆	◆	◆	●	◆	◆	◆
Labetalol	◆	◆	◆	■	◆	◆	◆
Lacidipine	◆	◆	◆	■	◆	◆	◆
Lercanidipine	◆	◆	◆	●	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	▲	◆	◆	◆
Macitentan	◆	◆	◆	■	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	●	◆	◆	◆
Riociguat	◆	◆	◆	■	◆	◆	◆
Sacubitril	◆	◆	◆	■	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	●	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	●	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	■	◆	◆	◆
Torasemide	◆	◆	◆	▲	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆
Treprostinil	■	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	■	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Illicit/Recreational							
Alcohol	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	■	◆	◆	◆
Cannabis	◆	◆	◆	▲	◆	◆	◆
Carfentanil	◆	◆	◆	●	◆	◆	◆
Cocaine	◆	◆	◆	■	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	■	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	■	◆	◆	◆
Heroin	◆	◆	◆	■	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	■	◆	◆	◆
Methamphetamine	◆	◆	◆	■	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆
Immunosuppressants							
Adalimumab	◆	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	●	◆	◆	◆
Etanercept	◆	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	●	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆	◆
Methotrexate	■	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	▲	◆	◆	◆
Pirfenidone	◆	◆	◆	▲	◆	◆	◆
Sirolimus	◆	◆	◆	●	◆	◆	◆
Tacrolimus	◆	◆	◆	●	◆	◆	◆
Tofacitinib	◆	◆	◆	■	◆	◆	◆
Upadacitinib	◆	◆	◆	■	◆	◆	◆
Voclosporin	◆	◆	◆	●	◆	◆	◆
Inotropes & Vasopressors							
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆	◆
Dobutamine	◆	◆	◆	◆	◆	◆	◆
Noradrenaline	◆	◆	◆	◆	◆	◆	◆
Vasopressin	◆	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents							
Atorvastatin	◆	◆	◆	■	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	▲	◆	◆	◆
Ezetimibe	◆	◆	◆	▲	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	▲	◆	◆	◆
Lomitapide	◆	◆	◆	●	◆	◆	◆
Lovastatin	◆	◆	◆	●	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	■	◆	◆	◆
Simvastatin	◆	◆	◆	●	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 27 September 2022

Page 8 of 8

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers. Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	IMAB Tx
Multiple Sclerosis Agents							
Alemtuzumab	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆
Cladribine	◆	◆	◆	■	◆	◆	◆
Dantrolene sodium	◆	◆	◆	◆	◆	◆	◆
Dimethyl fumarate	◆	◆	◆	◆	◆	◆	◆
Fampridine	◆	◆	◆	◆	◆	◆	◆
Fingolimod	◆	◆	◆	◆	◆	◆	◆
Glatiramer acetate	◆	◆	◆	◆	◆	◆	◆
Natalizumab	◆	◆	◆	◆	◆	◆	◆
Ocrelizumab	◆	◆	◆	◆	◆	◆	◆
Ozanimod	■	◆	◆	◆	◆	◆	◆
Peginterferon beta-1a	◆	◆	◆	◆	◆	◆	◆
Siponimod	◆	◆	◆	▲	◆	◆	◆
Teriflunomide	◆	◆	◆	◆	◆	◆	◆
Other							
Acetylcysteine	◆	◆	◆	◆	◆	◆	◆
Alendronic acid	◆	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	●	◆	◆	◆
Allopurinol	▲	◆	◆	◆	◆	◆	◆
Amantadine	◆	◆	◆	◆	◆	◆	◆
Benzatropine (Benztropine)	◆	◆	◆	◆	◆	◆	◆
Benzonatate	◆	◆	◆	◆	◆	◆	◆
Carbimazole	◆	◆	◆	◆	◆	◆	◆
Carbocisteine	◆	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	●	◆	◆	◆
Dextromethorphan	◆	◆	◆	◆	◆	◆	◆
Donepezil	◆	◆	◆	▲	◆	◆	◆
Eltrombopag	◆	◆	◆	▲	◆	◆	◆
Ergometrine (Ergonovine)	◆	◆	◆	●	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆
Flibanserin	▲	◆	◆	●	◆	◆	◆
Guaifenesin	◆	◆	◆	◆	◆	◆	◆
Interferon beta	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	■	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆	◆
Magnesium sulphate (IV)	◆	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆	◆
Memantine	◆	◆	◆	◆	◆	◆	◆
Methylergometrine	◆	◆	◆	●	◆	◆	◆
Modafinil	◆	◆	◆	▲	◆	◆	◆
Pilocarpine	◆	◆	◆	◆	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆	◆
Silodosin	◆	◆	◆	●	◆	◆	◆
Sulfasalazine	◆	◆	◆	■	◆	◆	◆
Tamsulosin	◆	◆	◆	■	◆	◆	◆
Tolvaptan	◆	◆	◆	●	◆	◆	◆
Overactive Bladder Agents							
Darifenacin	◆	◆	◆	●	◆	◆	◆
Mirabegron	◆	◆	◆	■	◆	◆	◆
Oxybutynin	◆	◆	◆	■	◆	◆	◆
Solifenacin	◆	◆	◆	■	◆	◆	◆
Tolterodine	◆	◆	◆	■	◆	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	IMAB Tx
Steroids							
Beclometasone	◆	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	◆	◆	◆
Budesonide (oral/rectal)	◆	◆	◆	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆	◆	◆
Dexamethasone (full dose)	◆	◆	◆	■	◆	◆	◆
Fludrocortisone	◆	◆	◆	◆	◆	◆	◆
Flunisolide	◆	◆	◆	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone (topical)	◆	◆	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆	◆	◆
Stanozolol	◆	◆	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	■	◆	◆	◆
Vitamins/Supplements							
Calcium supplements	◆	◆	◆	◆	◆	◆	◆
Ferrous fumarate	◆	◆	◆	◆	◆	◆	◆
Ferrous sulfate	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	◆	◆
Iodine	◆	◆	◆	◆	◆	◆	◆
Iron supplements	◆	◆	◆	◆	◆	◆	◆
Multivitamins	◆	◆	◆	◆	◆	◆	◆
Nicotinamide (Niacinamide)	◆	◆	◆	◆	◆	◆	◆
Vitamin A (Retinol)	◆	◆	◆	◆	◆	◆	◆
Vitamin B1 (Thiamine)	◆	◆	◆	◆	◆	◆	◆
Vitamin B12 (Cyanocobalamin)	◆	◆	◆	◆	◆	◆	◆
Vitamin B2 (Riboflavin)	◆	◆	◆	◆	◆	◆	◆
Vitamin B3 (Niacin, nicotinic acid)	◆	◆	◆	◆	◆	◆	◆
Vitamin B6 (Pyridoxine)	◆	◆	◆	◆	◆	◆	◆
Vitamin B7 (Biotin)	◆	◆	◆	◆	◆	◆	◆
Vitamin C (Ascorbic Acid)	◆	◆	◆	◆	◆	◆	◆
Vitamin D2 (Ergocalciferol)	◆	◆	◆	◆	◆	◆	◆
Vitamin D3 (Colecalciferol)	◆	◆	◆	◆	◆	◆	◆
Vitamin E (Tocopherol)	◆	◆	◆	◆	◆	◆	◆
Vitamin K (Phytomenadione)	◆	◆	◆	◆	◆	◆	◆
Zinc	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected