

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 4 July 2022

Page 1 of 7

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers.

Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Anaesthetics & Muscle Relaxants							
Alcuronium	▲	◆	◆	◆	◆	◆	◆
Bupivacaine	◆	◆	◆	■	◆	◆	◆
Cisatracurium	◆	◆	◆	◆	◆	◆	◆
Cyclobenzaprine	◆	◆	◆	▲	◆	◆	◆
Desflurane	◆	◆	◆	◆	◆	◆	◆
Dexmedetomidine	◆	◆	◆	◆	◆	◆	◆
Enflurane	◆	◆	◆	◆	◆	◆	◆
Ephedrine	◆	◆	◆	◆	◆	◆	◆
Etidocaine	◆	◆	◆	■	◆	◆	◆
Halothane	◆	◆	◆	◆	◆	◆	◆
Isoflurane	◆	◆	◆	◆	◆	◆	◆
Ketamine	◆	◆	◆	■	◆	◆	◆
Nitrous oxide	◆	◆	◆	◆	◆	◆	◆
Propofol	◆	◆	◆	◆	◆	◆	◆
Rocuronium	◆	◆	◆	■	◆	◆	◆
Sevoflurane	◆	◆	◆	◆	◆	◆	◆
Sufentanil	◆	◆	◆	■	◆	◆	◆
Suxamethonium (succinylcholine)	◆	◆	◆	◆	◆	◆	◆
Tetracaine	◆	◆	◆	◆	◆	◆	◆
Thiopental	◆	◆	◆	◆	◆	◆	◆
Tizanidine	◆	◆	◆	◆	◆	◆	◆
Vecuronium	◆	◆	◆	◆	◆	◆	◆
Analgesics							
Alfentanil	◆	◆	◆	■	◆	◆	◆
Aspirin	◆	◆	◆	◆	◆	◆	◆
Buprenorphine	◆	◆	◆	▲	◆	◆	◆
Celecoxib	◆	◆	◆	◆	◆	◆	◆
Codeine	◆	◆	◆	▲	◆	◆	◆
Dextropropoxyphene	◆	◆	◆	●	◆	◆	◆
Diamorphine (diacetylmorphine)	◆	◆	◆	■	◆	◆	◆
Diclofenac	◆	◆	◆	◆	◆	◆	◆
Dihydrocodeine	◆	◆	◆	■	◆	◆	◆
Fentanyl	◆	◆	◆	■	◆	◆	◆
Hydrocodone	◆	◆	◆	■	◆	◆	◆
Hydromorphone	◆	◆	◆	■	◆	◆	◆
Ibuprofen	◆	◆	◆	◆	◆	◆	◆
Mefenamic acid	◆	◆	◆	◆	◆	◆	◆
Metamizole	◆	◆	◆	■	◆	◆	◆
Methadone	◆	◆	◆	▲	◆	◆	◆
Morphine	◆	◆	◆	■	◆	◆	◆
Nabumetone	◆	◆	◆	◆	▲	◆	◆
Naproxen	◆	◆	◆	◆	◆	◆	◆
Nimesulide	◆	◆	◆	◆	◆	◆	◆
Oxycodone	◆	◆	◆	■	◆	◆	◆
Paracetamol (Acetaminophen)	■	◆	◆	◆	◆	◆	◆
Pethidine (Meperidine)	◆	◆	◆	●	◆	◆	◆
Piroxicam	◆	◆	◆	■	◆	◆	◆
Remifentanyl	◆	◆	◆	◆	◆	◆	◆
Tapentadol	◆	◆	◆	◆	◆	◆	◆
Tramadol	◆	◆	◆	■	◆	◆	◆
Antiarrhythmics							
Amiodarone	◆	◆	◆	●	◆	◆	◆
Bepiridil	◆	◆	◆	●	◆	◆	◆
Digoxin	◆	◆	◆	■	◆	◆	◆
Disopyramide	◆	◆	◆	●	◆	◆	◆
Dofetilide	◆	◆	◆	●	◆	◆	◆
Dronedarone	◆	◆	◆	●	◆	◆	◆
Flecainide	◆	◆	◆	●	◆	◆	◆
Lidocaine (Lignocaine)	◆	◆	◆	■	◆	◆	◆
Mexiletine	◆	◆	◆	■	◆	◆	◆
Propafenone	◆	◆	◆	●	◆	◆	◆
Quinidine	◆	◆	◆	●	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Antibacterials							
Amikacin	◆	◆	◆	◆	◆	◆	◆
Amoxicillin	◆	◆	◆	◆	◆	◆	◆
Ampicillin	◆	◆	◆	◆	◆	◆	◆
Azithromycin	◆	◆	◆	◆	◆	◆	◆
Bedaquiline	◆	◆	◆	■	◆	◆	◆
Capreomycin	◆	◆	◆	◆	◆	◆	◆
Cefalexin	◆	◆	◆	◆	◆	◆	◆
Cefazolin	◆	◆	◆	◆	◆	◆	◆
Cefepime	◆	◆	◆	◆	◆	◆	◆
Cefixime	◆	◆	◆	◆	◆	◆	◆
Cefotaxime	◆	◆	◆	◆	◆	◆	◆
Ceftazidime	◆	◆	◆	◆	◆	◆	◆
Ceftriaxone	◆	◆	◆	◆	◆	◆	◆
Chloramphenicol	◆	◆	◆	◆	◆	◆	◆
Ciprofloxacin	◆	◆	◆	◆	◆	◆	◆
Clarithromycin	◆	◆	◆	■	◆	◆	◆
Clavulanic acid	◆	◆	◆	◆	◆	◆	◆
Clindamycin	◆	◆	◆	▲	◆	◆	◆
Clofazimine	◆	◆	◆	◆	◆	◆	◆
Cloxacillin	◆	◆	◆	◆	◆	◆	◆
Cycloserine	◆	◆	◆	◆	◆	◆	◆
Dapsone	◆	◆	◆	◆	◆	◆	◆
Delamanid	◆	◆	◆	■	◆	◆	◆
Doxycycline	◆	◆	◆	◆	◆	◆	◆
Ertapenem	◆	◆	◆	◆	◆	◆	◆
Erythromycin	◆	◆	◆	■	◆	◆	◆
Ethambutol	◆	◆	◆	◆	◆	◆	◆
Ethionamide	◆	◆	◆	◆	◆	◆	◆
Flucloxacillin	◆	◆	◆	◆	◆	◆	◆
Gentamicin	◆	◆	◆	◆	◆	◆	◆
Imipenem/Cilastatin	◆	◆	◆	◆	◆	◆	◆
Isoniazid	◆	◆	◆	◆	◆	◆	◆
Kanamycin	◆	◆	◆	◆	◆	◆	◆
Levofloxacin	◆	◆	◆	◆	◆	◆	◆
Linezolid	◆	◆	◆	◆	◆	◆	◆
Meropenem	◆	◆	◆	◆	◆	◆	◆
Metronidazole	◆	◆	◆	◆	◆	◆	◆
Moxifloxacin	◆	◆	◆	◆	◆	◆	◆
Nitrofurantoin	◆	◆	◆	◆	◆	◆	◆
Ofloxacin	◆	◆	◆	◆	◆	◆	◆
Para-aminosalicylic acid	◆	◆	◆	◆	◆	◆	◆
Penicillins	◆	◆	◆	◆	◆	◆	◆
Piperacillin	◆	◆	◆	◆	◆	◆	◆
Pyrazinamide	■	◆	◆	◆	◆	◆	◆
Rifabutin	◆	◆	◆	■	◆	◆	◆
Rifampicin	◆	◆	◆	●	◆	▲	◆
Rifapentine	◆	◆	◆	●	◆	▲	◆
Rifaximin	◆	◆	◆	◆	◆	◆	◆
Spectinomycin	◆	◆	◆	◆	◆	◆	◆
Streptomycin	◆	◆	◆	◆	◆	◆	◆
Sulfadiazine	◆	◆	◆	◆	◆	◆	◆
Tazobactam	◆	◆	◆	◆	◆	◆	◆
Telithromycin	◆	◆	◆	■	◆	◆	◆
Tetracyclines	◆	◆	◆	◆	◆	◆	◆
Tinidazole	◆	◆	◆	◆	◆	◆	◆
Trimethoprim/Sulfamethoxazole	◆	◆	◆	◆	◆	◆	◆
Vancomycin	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 4 July 2022

Page 2 of 7

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers. Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Anti-coagulant, Anti-platelet and Fibrinolytic							
Acenocoumarol	◆	◆	◆	■	■	◆	◆
Apixaban	◆	◆	◆	●	◆	◆	◆
Argatroban	◆	◆	◆	◆	◆	◆	◆
Aspirin (anti-platelet)	◆	◆	◆	◆	◆	◆	◆
Betrixaban	◆	◆	◆	■	◆	◆	◆
Clopidogrel	◆	◆	◆	■	◆	◆	◆
Clopidogrel (recently stented patients)	◆	◆	◆	●	◆	◆	◆
Dabigatran	◆	◆	◆	■	◆	◆	◆
Dalteparin	◆	◆	◆	◆	◆	◆	◆
Dipyridamole	◆	◆	◆	◆	◆	◆	◆
Edoxaban	◆	◆	◆	■	◆	◆	◆
Enoxaparin	◆	◆	◆	◆	◆	◆	◆
Fondaparinux	◆	◆	◆	◆	◆	◆	◆
Heparin	◆	◆	◆	◆	◆	◆	◆
Phenprocoumon	◆	◆	◆	■	■	◆	◆
Prasugrel	◆	◆	◆	◆	◆	◆	◆
Rivaroxaban	◆	◆	◆	●	◆	◆	◆
Streptokinase	◆	◆	◆	◆	◆	◆	◆
Ticagrelor	◆	◆	◆	●	◆	◆	◆
Tinzaparin	◆	◆	◆	◆	◆	◆	◆
Warfarin	■	◆	◆	■	■	◆	◆
Anticonvulsants							
Brivaracetam	■	◆	◆	◆	◆	◆	◆
Carbamazepine	◆	◆	◆	●	◆	▲	◆
Clonazepam	◆	◆	◆	●	◆	◆	◆
Eslicarbazepine	◆	◆	◆	▲	◆	◆	◆
Ethosuximide	◆	◆	◆	■	◆	◆	◆
Gabapentin	◆	◆	◆	◆	◆	◆	◆
Lacosamide	◆	◆	◆	◆	◆	◆	◆
Lamotrigine	◆	◆	◆	◆	◆	◆	◆
Levetiracetam	◆	◆	◆	◆	◆	◆	◆
Oxcarbazepine	◆	◆	◆	▲	◆	◆	◆
Perampanel	◆	◆	◆	■	◆	◆	◆
Phenobarbital (Phenobarbitone)	◆	◆	◆	●	◆	▲	◆
Phenytoin	◆	◆	◆	●	■	▲	◆
Pregabalin	◆	◆	◆	◆	◆	◆	◆
Primidone	◆	◆	◆	●	◆	▲	◆
Retigabine	◆	◆	◆	◆	◆	◆	◆
Rufinamide	◆	◆	◆	▲	◆	◆	◆
Sultiame	◆	◆	◆	■	◆	◆	◆
Tiagabine	◆	◆	◆	■	◆	◆	◆
Topiramate	◆	◆	◆	◆	◆	◆	◆
Valproate (Divalproex)	◆	◆	◆	▲	◆	◆	◆
Vigabatrin	◆	◆	◆	◆	◆	◆	◆
Zonisamide	◆	◆	◆	◆	◆	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Antidepressants							
Agomelatine	◆	◆	◆	◆	◆	◆	◆
Amitriptyline	▲	◆	◆	▲	◆	◆	◆
Bupropion	◆	◆	◆	▲	◆	◆	◆
Citalopram	◆	◆	◆	◆	◆	◆	◆
Clomipramine	▲	◆	◆	▲	◆	◆	◆
Desipramine	◆	◆	◆	▲	◆	◆	◆
Doxepin	◆	◆	◆	▲	◆	◆	◆
Duloxetine	◆	◆	◆	◆	◆	◆	◆
Escitalopram	◆	◆	◆	◆	◆	◆	◆
Fluoxetine	◆	◆	◆	▲	◆	◆	◆
Imipramine	◆	◆	◆	▲	◆	◆	◆
Lithium	◆	◆	◆	◆	◆	◆	◆
Maprotiline	▲	◆	◆	▲	◆	◆	◆
Mianserin	◆	◆	◆	▲	◆	◆	◆
Milnacipran	◆	◆	◆	◆	◆	◆	◆
Mirtazapine	◆	◆	◆	▲	◆	◆	◆
Nefazodone	◆	◆	◆	■	◆	◆	◆
Nortriptyline	▲	◆	◆	▲	◆	◆	◆
Paroxetine	◆	◆	◆	▲	◆	◆	◆
Phenelzine	◆	◆	◆	◆	◆	◆	◆
Reboxetine	◆	◆	◆	■	◆	◆	◆
Sertraline	◆	◆	◆	◆	◆	◆	◆
St John's wort	◆	◆	◆	●	◆	▲	◆
Tranlycypromine	◆	◆	◆	■	◆	◆	◆
Trazodone	◆	◆	◆	■	◆	◆	◆
Trimipramine	◆	◆	◆	▲	◆	◆	◆
Venlafaxine	◆	◆	◆	▲	◆	◆	◆
Vortioxetine	◆	◆	◆	▲	◆	◆	◆
Anti-diabetics							
Acarbose	◆	◆	◆	◆	◆	◆	◆
Canagliflozin	◆	◆	◆	◆	◆	◆	◆
Dapagliflozin	◆	◆	◆	◆	◆	◆	◆
Dulaglutide	◆	◆	◆	◆	◆	◆	◆
Empagliflozin	◆	◆	◆	◆	◆	◆	◆
Exenatide	◆	◆	◆	◆	◆	◆	◆
Glibenclamide (Glyburide)	◆	◆	◆	■	◆	◆	◆
Gliclazide	◆	◆	◆	◆	◆	◆	◆
Glimepiride	◆	◆	◆	◆	◆	◆	◆
Glipizide	◆	◆	◆	◆	◆	◆	◆
Insulin	◆	◆	◆	◆	◆	◆	◆
Linagliptin	◆	◆	◆	◆	◆	◆	◆
Liraglutide	◆	◆	◆	◆	◆	◆	◆
Metformin	◆	◆	◆	◆	◆	◆	◆
Nateglinide	◆	◆	◆	■	◆	◆	◆
Pioglitazone	■	◆	◆	▲	◆	◆	◆
Repaglinide	■	◆	◆	■	◆	◆	◆
Rosiglitazone	■	◆	◆	◆	◆	◆	◆
Saxagliptin	◆	◆	◆	■	◆	◆	◆
Semaglutide	◆	◆	◆	◆	◆	◆	◆
Sitagliptin	◆	◆	◆	◆	◆	◆	◆
Tolbutamide	◆	◆	◆	◆	◆	◆	◆
Vildagliptin	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

© Liverpool Drug Interactions Group, University of Liverpool, 3rd Floor William Duncan Building, 6 West Derby Street, LIVERPOOL, L7 8TX. We aim to ensure that information is accurate and consistent with current knowledge and practice. However, the University of Liverpool and its servants or agents shall not be responsible or in any way liable for the continued currency of information in this publication whether arising from negligence or otherwise howsoever or for any consequences arising therefrom. The University of Liverpool expressly exclude liability for errors, omissions or inaccuracies to the fullest extent permitted by law.

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 4 July 2022

Page 3 of 7

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers. Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Antifungals							
Amphotericin B	◆	◆	◆	◆	◆	◆	◆
Anidulafungin	◆	◆	◆	◆	◆	◆	◆
Caspofungin	◆	◆	◆	◆	◆	◆	◆
Fluconazole	◆	◆	◆	◆	◆	◆	◆
Flucytosine	◆	◆	◆	◆	◆	◆	◆
Griseofulvin	◆	◆	◆	▲	◆	◆	◆
Isavuconazole	◆	◆	◆	■	◆	◆	◆
Itraconazole	◆	◆	◆	■	◆	◆	◆
Ketoconazole	◆	◆	◆	■	◆	◆	◆
Micafungin	◆	◆	◆	◆	◆	◆	◆
Miconazole	◆	◆	◆	◆	◆	◆	◆
Nystatin	◆	◆	◆	◆	◆	◆	◆
Posaconazole	◆	◆	◆	■	◆	◆	◆
Terbinafine	◆	◆	◆	◆	◆	◆	◆
Voriconazole	◆	◆	◆	■	◆	◆	◆
Antihistamines							
Cetirizine	◆	◆	◆	◆	◆	◆	◆
Fexofenadine	◆	◆	◆	▲	◆	◆	◆
Loratadine	◆	◆	◆	▲	◆	◆	◆
Antimalarials							
Amodiaquine	■	◆	◆	■	◆	◆	◆
Artemether	◆	◆	◆	▲	◆	◆	◆
Artesunate	◆	◆	◆	▲	◆	◆	◆
Atovaquone	◆	◆	◆	◆	◆	◆	◆
Chloroquine	◆	◆	◆	■	◆	●	◆
Halofantrine	◆	◆	◆	●	◆	◆	◆
Hydroxychloroquine	◆	◆	◆	▲	◆	●	◆
Lumefantrine	◆	◆	◆	■	◆	◆	◆
Mefloquine	◆	◆	◆	■	◆	◆	◆
Piperaquine	◆	◆	◆	■	◆	◆	◆
Primaquine	◆	◆	◆	◆	◆	◆	◆
Proguanil	◆	◆	◆	◆	◆	◆	◆
Pyrimethamine	◆	◆	◆	◆	◆	◆	◆
Quinine	◆	◆	◆	■	◆	◆	◆
Sulfadoxine	◆	◆	◆	◆	◆	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Antipsychotics/Neuroleptics							
Amisulpride	◆	◆	◆	◆	◆	◆	◆
Aripiprazole	◆	◆	◆	■	◆	◆	◆
Asenapine	◆	◆	◆	◆	◆	◆	◆
Chlorpromazine	▲	◆	◆	▲	◆	◆	◆
Clozapine	◆	◆	◆	●	◆	◆	◆
Fluphenazine	◆	◆	◆	◆	◆	◆	◆
Haloperidol	◆	◆	◆	■	◆	◆	◆
Iloperidone	◆	◆	◆	■	◆	◆	◆
Levomepromazine	◆	◆	◆	▲	◆	◆	◆
Lumateperone	◆	◆	◆	●	◆	◆	◆
Lurasidone	◆	◆	◆	●	◆	◆	◆
Olanzapine	◆	◆	◆	◆	◆	◆	◆
Paliperidone	◆	◆	◆	▲	◆	◆	◆
Perazine	◆	◆	◆	■	◆	◆	◆
Periciazine	◆	◆	◆	◆	◆	◆	◆
Perphenazine	▲	◆	◆	▲	◆	◆	◆
Pimozide	◆	◆	◆	●	◆	◆	◆
Pipotiazine	◆	◆	◆	◆	◆	◆	◆
Quetiapine	▲	◆	◆	●	◆	◆	◆
Risperidone	◆	◆	◆	■	◆	◆	◆
Sulpiride	◆	◆	◆	◆	◆	◆	◆
Thioridazine	▲	◆	◆	■	◆	◆	◆
Tiapride	◆	◆	◆	◆	◆	◆	◆
Ziprasidone	◆	◆	◆	■	◆	◆	◆
Zotepine	◆	◆	◆	■	◆	◆	◆
Zuclopenthixol	◆	◆	◆	■	◆	◆	◆
Antivirals							
Aciclovir	◆	◆	◆	◆	◆	◆	◆
Entecavir	◆	◆	◆	◆	◆	◆	◆
Oseltamivir	◆	◆	◆	◆	◆	◆	◆
Ribavirin	◆	◆	◆	◆	◆	◆	◆
Valaciclovir (Valacyclovir)	◆	◆	◆	◆	◆	◆	◆
Anxiolytics/Hypnotics/Sedatives							
Alprazolam	◆	◆	◆	■	◆	◆	◆
Bromazepam	◆	◆	◆	◆	◆	◆	◆
Buspirone	◆	◆	◆	■	◆	◆	◆
Chlordiazepoxide	◆	◆	◆	■	◆	◆	◆
Clobazam	◆	◆	◆	■	◆	◆	◆
Clorazepate	◆	◆	◆	●	◆	◆	◆
Diazepam	◆	◆	◆	●	◆	◆	◆
Estazolam	◆	◆	◆	●	◆	◆	◆
Flunitrazepam	◆	◆	◆	■	◆	◆	◆
Flurazepam	◆	◆	◆	●	◆	◆	◆
Hydroxyzine	◆	◆	◆	■	◆	◆	◆
Lorazepam	◆	◆	◆	◆	◆	◆	◆
Lormetazepam	◆	◆	◆	◆	◆	◆	◆
Midazolam (oral)	◆	◆	◆	●	◆	◆	◆
Midazolam (parenteral)	◆	◆	◆	■	◆	◆	◆
Oxazepam	◆	◆	◆	◆	◆	◆	◆
Temazepam	◆	◆	◆	◆	◆	◆	◆
Triazolam	◆	◆	◆	●	◆	◆	◆
Zaleplon	■	◆	◆	◆	◆	◆	◆
Zolpidem	◆	◆	◆	■	◆	◆	◆
Zopiclone	◆	◆	◆	■	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 4 July 2022

Page 4 of 7

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers.

Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Beta Blockers							
Atenolol	◆	◆	◆	◆	◆	◆	◆
Bisoprolol	◆	◆	◆	◆	◆	◆	◆
Carvedilol	◆	◆	◆	◆	◆	◆	◆
Metoprolol	◆	◆	◆	◆	◆	◆	◆
Nebivolol	◆	◆	◆	◆	◆	◆	◆
Oxprenolol	◆	◆	◆	◆	◆	◆	◆
Pindolol	◆	◆	◆	◆	◆	◆	◆
Propranolol	◆	◆	◆	◆	◆	◆	◆
Sotalol	◆	◆	◆	◆	◆	◆	◆
Timolol	◆	◆	◆	◆	◆	◆	◆
Bronchodilators							
Acidinium bromide	◆	◆	◆	◆	◆	◆	◆
Aminophylline	■	◆	◆	▲	◆	◆	◆
Formoterol	◆	◆	◆	◆	◆	◆	◆
Glycopyrronium bromide	◆	◆	◆	◆	◆	◆	◆
Indacaterol	◆	◆	◆	◆	◆	◆	◆
Ipratropium bromide	◆	◆	◆	◆	◆	◆	◆
Montelukast	◆	◆	◆	◆	◆	◆	◆
Olodaterol	◆	◆	◆	◆	◆	◆	◆
Roflumilast	◆	◆	◆	◆	◆	◆	◆
Salbutamol	◆	◆	◆	◆	◆	◆	◆
Salmeterol	◆	◆	◆	●	◆	◆	◆
Theophylline	■	◆	◆	▲	◆	◆	◆
Tiotropium bromide	◆	◆	◆	◆	◆	◆	◆
Umeclidinium bromide	◆	◆	◆	◆	◆	◆	◆
Vilanterol	◆	◆	◆	◆	◆	◆	◆
Calcium Channel Blockers							
Amlodipine	◆	◆	◆	■	◆	◆	◆
Diltiazem	◆	◆	◆	■	◆	◆	◆
Felodipine	▲	◆	◆	■	◆	◆	◆
Nicardipine	◆	◆	◆	■	◆	◆	◆
Nifedipine	◆	◆	◆	■	◆	◆	◆
Nisoldipine	◆	◆	◆	■	◆	◆	◆
Nitrendipine	◆	◆	◆	■	◆	◆	◆
Verapamil	◆	◆	◆	■	◆	◆	◆

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Cancer Therapies							
Abemaciclib	◆	◆	◆	■	◆	◆	◆
Abiraterone	◆	◆	◆	◆	◆	◆	◆
Acalabrutinib	◆	◆	◆	●	◆	◆	◆
Afatinib	◆	◆	◆	■	◆	◆	◆
Alectinib	◆	◆	◆	◆	◆	◆	◆
Apalutamide	◆	◆	◆	●	▲	◆	◆
Atezolizumab	◆	◆	◆	◆	◆	◆	◆
Bosutinib	◆	◆	◆	●	◆	◆	◆
Capecitabine	◆	◆	◆	◆	◆	◆	◆
Ceritinib	◆	◆	◆	■	◆	◆	◆
Dasatinib	◆	◆	◆	■	◆	◆	◆
Encorafenib	◆	◆	◆	■	◆	◆	◆
Enzalutamide	◆	◆	◆	●	▲	◆	◆
Erlotinib	◆	◆	◆	■	◆	◆	◆
Fostamatinib	◆	◆	◆	■	◆	◆	◆
Fulvestrant	◆	◆	◆	◆	◆	◆	◆
Gilteritinib	◆	◆	◆	■	◆	◆	◆
Ibrutinib	◆	◆	◆	●	◆	◆	◆
Imatinib	◆	◆	◆	■	◆	◆	◆
Ivosidenib	◆	◆	◆	●	▲	◆	◆
Lenalidomide	◆	◆	◆	◆	◆	◆	◆
Midostaurin	◆	◆	◆	●	◆	◆	◆
Neratinib	◆	◆	◆	●	◆	◆	◆
Nilotinib	◆	◆	◆	■	◆	◆	◆
Olaparib	◆	◆	◆	■	◆	◆	◆
Osimertinib	◆	◆	◆	◆	◆	◆	◆
Palbociclib	◆	◆	◆	■	◆	◆	◆
Pazopanib	◆	◆	◆	■	◆	◆	◆
Pomalidomide	◆	◆	◆	◆	◆	◆	◆
Ribociclib	◆	◆	◆	■	◆	◆	◆
Sotorasib	◆	◆	◆	▲	◆	◆	◆
Sunitinib	◆	◆	◆	■	◆	◆	◆
Tamoxifen	◆	◆	◆	▲	◆	◆	◆
Venetoclax	◆	◆	◆	●	◆	◆	◆
Vinblastine	◆	◆	◆	■	◆	◆	◆
Vincristine	◆	◆	◆	■	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 4 July 2022

Page 5 of 7

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers. Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Contraceptives/HRT							
Desogestrel (COC)	▲	◆	◆	▲	◆	◆	◆
Desogestrel (POP)	▲	◆	◆	◆	◆	◆	◆
Drospirenone (COC)	▲	◆	◆	▲	◆	◆	◆
Drospirenone (HRT)	▲	◆	◆	◆	◆	◆	◆
Dydrogesterone (HRT)	▲	◆	◆	◆	◆	◆	◆
Estradiol	▲	◆	◆	◆	◆	◆	◆
Ethinylestradiol	▲	◆	◆	▲	◆	◆	◆
Etonogestrel (implant)	▲	◆	◆	◆	◆	◆	◆
Etonogestrel (vaginal ring)	▲	◆	◆	▲	◆	◆	◆
Gestodene (COC)	▲	◆	◆	▲	◆	◆	◆
Levonorgestrel (COC)	▲	◆	◆	▲	◆	◆	◆
Levonorgestrel (emergency contrac.)	▲	◆	◆	◆	◆	◆	◆
Levonorgestrel (HRT)	▲	◆	◆	◆	◆	◆	◆
Levonorgestrel (implant)	▲	◆	◆	◆	◆	◆	◆
Levonorgestrel (IUD)	◆	◆	◆	◆	◆	◆	◆
Levonorgestrel (POP)	▲	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (depot inj.)	◆	◆	◆	◆	◆	◆	◆
Medroxyprogesterone (oral)	▲	◆	◆	◆	◆	◆	◆
Norelgestromin (patch)	▲	◆	◆	◆	◆	◆	◆
Norethisterone (COC)	▲	◆	◆	▲	◆	◆	◆
Norethisterone (HRT)	▲	◆	◆	◆	◆	◆	◆
Norethisterone (IM depot)	▲	◆	◆	◆	◆	◆	◆
Norethisterone (POP)	▲	◆	◆	◆	◆	◆	◆
Norgestimate (COC)	▲	◆	◆	▲	◆	◆	◆
Norgestrel (COC)	▲	◆	◆	▲	◆	◆	◆
Norgestrel (HRT)	▲	◆	◆	◆	◆	◆	◆
Ulipristal	▲	◆	◆	◆	◆	◆	◆
Covid-19 Antiviral Therapies							
Bamlanivimab/Etesevimab	◆	◆	◆	◆	◆	◆	◆
Bebtelovimab	◆	◆	◆	◆	◆	◆	◆
Casirivimab/Imdevimab	◆	◆	◆	◆	◆	◆	◆
Favipiravir	◆	◆	◆	◆	◆	◆	◆
Molnupiravir	◆	◆	◆	◆	◆	◆	◆
Niclosamide	◆	◆	◆	◆	◆	◆	◆
Nirmatrelvir + ritonavir (5 days)	◆	◆	◆	◆	◆	◆	◆
Nitazoxanide	◆	◆	◆	◆	◆	◆	◆
Remdesivir	◆	◆	◆	◆	◆	◆	◆
Sotrovimab	◆	◆	◆	◆	◆	◆	◆
Tixagevimab/Cilgavimab	◆	◆	◆	◆	◆	◆	◆
Covid-19 Host-directed Therapies							
Anakinra	◆	◆	◆	◆	◆	◆	◆
Baricitinib	▲	◆	◆	◆	◆	◆	◆
Budesonide (inhaled)	◆	◆	◆	▲	◆	◆	◆
Canakinumab	◆	◆	◆	◆	◆	◆	◆
Covid 19 convalescent plasma	◆	◆	◆	◆	◆	◆	◆
Covid-19 vaccines	◆	◆	◆	◆	◆	◆	*
Dexamethasone (low dose)	◆	◆	◆	◆	◆	◆	◆
Fluvoxamine	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (oral or IV)	◆	◆	◆	◆	◆	◆	◆
Imatinib (14 days)	◆	◆	◆	■	◆	◆	◆
Infliximab	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone (oral or IV)	◆	◆	◆	◆	◆	◆	◆
Ruxolitinib	◆	◆	◆	■	◆	◆	◆
Sarilumab	◆	◆	◆	◆	◆	◆	◆
Tocilizumab	◆	◆	◆	◆	◆	◆	◆

*The CDC advises that tixagevimab/cilgavimab used for pre-exposure prophylaxis (PrEP) should be administered at least two weeks after Covid-19 vaccination. Check local guidelines.

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	MAB Tx
Cystic Fibrosis Agents							
Ivacaftor	◆	◆	◆	■	◆	◆	◆
Ivacaftor/lumacaftor	◆	◆	◆	●	▲	◆	◆
Ivacaftor/tezacaftor	◆	◆	◆	■	◆	◆	◆
Ivacaftor/tezacaftor/elexacaftor	◆	◆	◆	■	◆	◆	◆
Gastrointestinal Agents							
Alosetron	◆	◆	◆	■	◆	◆	◆
Antacids	◆	◆	◆	◆	◆	◆	◆
Bisacodyl	◆	◆	◆	◆	◆	◆	◆
Cimetidine	■	◆	◆	◆	◆	◆	◆
Cisapride	◆	◆	◆	●	◆	◆	◆
Esomeprazole	◆	◆	◆	◆	◆	◆	◆
Famotidine	◆	◆	◆	◆	◆	◆	◆
Lactulose	◆	◆	◆	◆	◆	◆	◆
Lansoprazole	◆	◆	◆	◆	◆	◆	◆
Loperamide	◆	◆	◆	■	◆	◆	◆
Magnesium salts (oral)	◆	◆	◆	◆	◆	◆	◆
Mesalazine	◆	◆	◆	◆	◆	◆	◆
Omeprazole	◆	◆	◆	◆	◆	◆	◆
Pantoprazole	◆	◆	◆	◆	◆	◆	◆
Prucalopride	◆	◆	◆	◆	◆	◆	◆
Rabeprazole	◆	◆	◆	◆	◆	◆	◆
Ranitidine	◆	◆	◆	◆	◆	◆	◆
Senna	◆	◆	◆	◆	◆	◆	◆
Gastrointestinal Agents (anti-emetics)							
Aprepitant	◆	◆	◆	■	◆	◆	◆
Cyclizine	◆	◆	◆	◆	◆	◆	◆
Dolasetron	◆	◆	◆	◆	◆	◆	◆
Domperidone	◆	◆	◆	●	◆	◆	◆
Dronabinol	◆	◆	◆	◆	◆	◆	◆
Granisetron	◆	◆	◆	■	◆	◆	◆
Metoclopramide	◆	◆	◆	◆	◆	◆	◆
Ondansetron	◆	◆	◆	◆	◆	◆	◆
Prochlorperazine	◆	◆	◆	◆	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 4 July 2022

Page 6 of 7

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers. Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMv/r	NTZ	RDV	IMAB Tx
HCV DAAs							
Elbasvir/Grazoprevir	◆	◆	◆	●	◆	◆	◆
Glecaprevir/Pibrentasvir	◆	◆	◆	●	◆	◆	◆
Ledipasvir/Sofosbuvir	◆	◆	◆	◆	◆	◆	◆
Ombitasvir/Paritaprevir/r	◆	◆	◆	■	◆	◆	◆
Ombitasvir/Paritaprevir/r + Dasabuvir	◆	◆	◆	■	◆	◆	◆
Sofosbuvir	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir	◆	◆	◆	◆	◆	◆	◆
Sofosbuvir/Velpatasvir/Voxilaprevir	◆	◆	◆	■	◆	◆	◆
HIV Antiretroviral Therapies							
Abacavir	◆	◆	◆	◆	◆	◆	◆
Albuvirtide	◆	◆	◆	▲	◆	◆	◆
Atazanavir alone	◆	◆	◆	■	◆	◆	◆
Atazanavir + ritonavir	◆	◆	◆	■	◆	◆	◆
Atazanavir/cobicistat	◆	◆	◆	■	◆	◆	◆
Bictegravir/Emtricitabine/TAF	◆	◆	◆	◆	◆	◆	◆
Cabotegravir (oral)	◆	◆	◆	◆	◆	◆	◆
Cabotegravir/rilpivirine (long acting)	◆	◆	◆	◆	◆	◆	◆
Darunavir + ritonavir	◆	◆	◆	■	◆	◆	◆
Darunavir/cobicistat	◆	◆	◆	■	◆	◆	◆
Darunavir/Cobi/Emtricitabine/TAF	◆	◆	◆	■	◆	◆	◆
Dolutegravir	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/Lamivudine	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/Rilpivirine	◆	◆	◆	◆	◆	◆	◆
Dolutegravir/Abacavir/Lamivudine	◆	◆	◆	◆	◆	◆	◆
Doravirine	◆	◆	◆	◆	◆	◆	◆
Doravirine/Lamivudine/Tenofovir-DF	■	◆	◆	◆	◆	◆	◆
Efavirenz	◆	◆	◆	▲	◆	◆	◆
Elvitegravir/Cobi/Emtricitabine/TAF	◆	◆	◆	■	◆	◆	◆
Elvitegravir/Cobi/Emtricitabine/TDF	■	◆	◆	■	◆	◆	◆
Emtricitabine	◆	◆	◆	◆	◆	◆	◆
Emtricitabine/Tenofovir alafenamide	◆	◆	◆	◆	◆	◆	◆
Emtricitabine/Tenofovir-DF	■	◆	◆	◆	◆	◆	◆
Etravirine	◆	◆	◆	◆	◆	◆	◆
Fostemsavir	◆	◆	◆	◆	◆	◆	◆
Ibalizumab-uiyk	◆	◆	◆	◆	◆	◆	◆
Lamivudine	◆	◆	◆	◆	◆	◆	◆
Lopinavir/ritonavir	◆	◆	◆	■	◆	◆	◆
Maraviroc	◆	◆	◆	■	◆	◆	◆
Nevirapine	◆	◆	◆	▲	◆	◆	◆
Raltegravir	◆	◆	◆	◆	◆	◆	◆
Rilpivirine	◆	◆	◆	◆	◆	◆	◆
Rilpivirine/Emtricitabine/TAF	◆	◆	◆	◆	◆	◆	◆
Rilpivirine/Emtricitabine/TDF	◆	◆	◆	◆	◆	◆	◆
Tenofovir-DF	■	◆	◆	◆	◆	◆	◆
Zidovudine	◆	◆	◆	◆	◆	◆	◆

	FAVI	MOL	NIC	NMv/r	NTZ	RDV	IMAB Tx
Hypertension / Heart Failure Agents							
Aliskiren	◆	◆	◆	●	◆	◆	◆
Ambrisentan	◆	◆	◆	◆	◆	◆	◆
Amiloride	◆	◆	◆	◆	◆	◆	◆
Benazepril	◆	◆	◆	◆	◆	◆	◆
Bendroflumethiazide	◆	◆	◆	◆	◆	◆	◆
Bosentan	◆	◆	◆	●	◆	◆	◆
Candesartan	◆	◆	◆	◆	◆	◆	◆
Captopril	◆	◆	◆	◆	◆	◆	◆
Chlortalidone	◆	◆	◆	◆	◆	◆	◆
Cilazapril	◆	◆	◆	◆	◆	◆	◆
Clonidine	◆	◆	◆	◆	◆	◆	◆
Dopamine	◆	◆	◆	◆	◆	◆	◆
Doxazosin	◆	◆	◆	■	◆	◆	◆
Enalapril	◆	◆	◆	◆	◆	◆	◆
Eplerenone	◆	◆	◆	●	◆	◆	◆
Epoprostenol	◆	◆	◆	◆	◆	◆	◆
Erosartan	◆	◆	◆	◆	◆	◆	◆
Fosinopril	◆	◆	◆	◆	◆	◆	◆
Furosemide	◆	◆	◆	◆	◆	◆	◆
Hydralazine	◆	◆	◆	◆	◆	◆	◆
Hydrochlorothiazide	◆	◆	◆	◆	◆	◆	◆
Iloprost	◆	◆	◆	◆	◆	◆	◆
Indapamide	◆	◆	◆	■	◆	◆	◆
Irbesartan	◆	◆	◆	▲	◆	◆	◆
Isosorbide dinitrate	◆	◆	◆	▲	◆	◆	◆
Ivabradine	◆	◆	◆	●	◆	◆	◆
Labetalol	◆	◆	◆	■	◆	◆	◆
Lacidipine	◆	◆	◆	■	◆	◆	◆
Lercanidipine	◆	◆	◆	●	◆	◆	◆
Lisinopril	◆	◆	◆	◆	◆	◆	◆
Losartan	◆	◆	◆	▲	◆	◆	◆
Macitentan	◆	◆	◆	■	◆	◆	◆
Methyldopa	◆	◆	◆	◆	◆	◆	◆
Metolazone	◆	◆	◆	◆	◆	◆	◆
Moxonidine	◆	◆	◆	◆	◆	◆	◆
Olmesartan	◆	◆	◆	◆	◆	◆	◆
Perindopril	◆	◆	◆	◆	◆	◆	◆
Prazosin	◆	◆	◆	◆	◆	◆	◆
Quinapril	◆	◆	◆	◆	◆	◆	◆
Ramipril	◆	◆	◆	◆	◆	◆	◆
Ranolazine	◆	◆	◆	●	◆	◆	◆
Riociguat	◆	◆	◆	■	◆	◆	◆
Sacubitril	◆	◆	◆	■	◆	◆	◆
Selexipag	◆	◆	◆	◆	◆	◆	◆
Sildenafil (PAH)	◆	◆	◆	●	◆	◆	◆
Sodium nitroprusside	◆	◆	◆	◆	◆	◆	◆
Spironolactone	◆	◆	◆	◆	◆	◆	◆
Tadalafil (PAH)	◆	◆	◆	●	◆	◆	◆
Telmisartan	◆	◆	◆	◆	◆	◆	◆
Terazosin	◆	◆	◆	■	◆	◆	◆
Torasemide	◆	◆	◆	▲	◆	◆	◆
Trandolapril	◆	◆	◆	◆	◆	◆	◆
Treprostinil	■	◆	◆	◆	◆	◆	◆
Valsartan	◆	◆	◆	■	◆	◆	◆
Xipamide	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMv/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected

Interactions with COVID-19 Antiviral Therapies*

*Licensed or under clinical investigation - please check regulatory status for your region

Charts updated 4 July 2022

Page 7 of 7

Please check www.covid19-druginteractions.org for updates.

Please note if a drug is not listed it cannot automatically be assumed it is safe to coadminister. No recommendation to use experimental therapy for COVID-19 is made. Drug interaction data for many agents are limited or absent; therefore, risk-benefit assessment for any individual patient rests with prescribers.

Interactions with nirmatrelvir/ritonavir (Paxlovid) are based on 5 days of treatment. Management may be complex and full details should be obtained from the website.

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	IMAB Tx
Illicit/Recreational							
Alcohol	◆	◆	◆	◆	◆	◆	◆
Amphetamine	◆	◆	◆	■	◆	◆	◆
Cannabis	◆	◆	◆	▲	◆	◆	◆
Carfentanil	◆	◆	◆	■	◆	◆	◆
Cocaine	◆	◆	◆	■	◆	◆	◆
Ecstasy (MDMA)	◆	◆	◆	■	◆	◆	◆
GHB (Gamma-hydroxybutyrate)	◆	◆	◆	■	◆	◆	◆
Heroin	◆	◆	◆	■	◆	◆	◆
LSD (Lysergic acid diethylamide)	◆	◆	◆	■	◆	◆	◆
Methamphetamine	◆	◆	◆	■	◆	◆	◆
Poppers (Amyl nitrate)	◆	◆	◆	◆	◆	◆	◆
Immunosuppressants							
Adalimumab	◆	◆	◆	◆	◆	◆	◆
Anti-thymocyte globulin	◆	◆	◆	◆	◆	◆	◆
Azathioprine	◆	◆	◆	◆	◆	◆	◆
Basiliximab	◆	◆	◆	◆	◆	◆	◆
Belatacept	◆	◆	◆	◆	◆	◆	◆
Ciclosporin	◆	◆	◆	●	◆	◆	◆
Etanercept	◆	◆	◆	◆	◆	◆	◆
Everolimus	◆	◆	◆	●	◆	◆	◆
Leflunomide	◆	◆	◆	◆	◆	◆	◆
Methotrexate	■	◆	◆	◆	◆	◆	◆
Mycophenolate	◆	◆	◆	▲	◆	◆	◆
Pirfenidone	◆	◆	◆	▲	◆	◆	◆
Sirolimus	◆	◆	◆	●	◆	◆	◆
Tacrolimus	◆	◆	◆	●	◆	◆	◆
Tofacitinib	◆	◆	◆	◆	◆	◆	◆
Voclosporin	◆	◆	◆	●	◆	◆	◆
Inotropes & Vasopressors							
Adrenaline (Epinephrine)	◆	◆	◆	◆	◆	◆	◆
Dobutamine	◆	◆	◆	◆	◆	◆	◆
Noradrenaline	◆	◆	◆	◆	◆	◆	◆
Vasopressin	◆	◆	◆	◆	◆	◆	◆
Lipid Lowering Agents							
Atorvastatin	◆	◆	◆	■	◆	◆	◆
Bezafibrate	◆	◆	◆	◆	◆	◆	◆
Clofibrate	◆	◆	◆	◆	◆	◆	◆
Evolocumab	◆	◆	◆	◆	◆	◆	◆
Ezetimibe	◆	◆	◆	▲	◆	◆	◆
Fenofibrate	◆	◆	◆	◆	◆	◆	◆
Fish oils	◆	◆	◆	◆	◆	◆	◆
Fluvastatin	◆	◆	◆	◆	◆	◆	◆
Gemfibrozil	◆	◆	◆	▲	◆	◆	◆
Lovastatin	◆	◆	◆	●	◆	◆	◆
Pitavastatin	◆	◆	◆	◆	◆	◆	◆
Pravastatin	◆	◆	◆	◆	◆	◆	◆
Rosuvastatin	◆	◆	◆	■	◆	◆	◆
Simvastatin	◆	◆	◆	●	◆	◆	◆
Multiple Sclerosis Agents							
Alemtuzumab	◆	◆	◆	◆	◆	◆	◆
Baclofen	◆	◆	◆	◆	◆	◆	◆
Cladribine	◆	◆	◆	■	◆	◆	◆
Dantrolene sodium	◆	◆	◆	◆	◆	◆	◆
Dimethyl fumarate	◆	◆	◆	◆	◆	◆	◆
Fampridine	◆	◆	◆	◆	◆	◆	◆
Fingolimod	◆	◆	◆	◆	◆	◆	◆
Glatiramer acetate	◆	◆	◆	◆	◆	◆	◆
Natalizumab	◆	◆	◆	◆	◆	◆	◆
Ocrelizumab	◆	◆	◆	◆	◆	◆	◆
Ozanimod	■	◆	◆	◆	◆	◆	◆
Peginterferon beta-1a	◆	◆	◆	◆	◆	◆	◆
Siponimod	◆	◆	◆	▲	◆	◆	◆
Teriflunomide	◆	◆	◆	◆	◆	◆	◆

Key to abbreviations

FAVI	Favipiravir	NMV/r	Nirmatrelvir/ritonavir	MAB Tx	Monoclonal Antibodies: • Bamlanivimab + Etesevimab • Bebtelovimab • Casirivimab + Imdevimab • Sotrovimab • Tixagevimab + Cilgavimab
MOL	Molnupiravir	NTZ	Nitazoxanide		
NIC	Niclosamide	RDV	Remdesivir		

	FAVI	MOL	NIC	NMV/r	NTZ	RDV	IMAB Tx
Other							
Acetylcysteine	◆	◆	◆	◆	◆	◆	◆
Alendronic acid	◆	◆	◆	◆	◆	◆	◆
Alfuzosin	◆	◆	◆	●	◆	◆	◆
Allopurinol	▲	◆	◆	◆	◆	◆	◆
Calcium supplements	◆	◆	◆	◆	◆	◆	◆
Carbimazole	◆	◆	◆	◆	◆	◆	◆
Carbocisteine	◆	◆	◆	◆	◆	◆	◆
Colchicine	◆	◆	◆	●	◆	◆	◆
Dextromethorphan	◆	◆	◆	◆	◆	◆	◆
Dihydroergotamine	◆	◆	◆	●	◆	◆	◆
Donepezil	◆	◆	◆	▲	◆	◆	◆
Eltrombopag	◆	◆	◆	▲	◆	◆	◆
Ergometrine (Ergonovine)	◆	◆	◆	●	◆	◆	◆
Ergotamine	◆	◆	◆	●	◆	◆	◆
Finasteride	◆	◆	◆	◆	◆	◆	◆
Folic acid	◆	◆	◆	◆	◆	◆	◆
Guaifenesin	◆	◆	◆	◆	◆	◆	◆
Interferon beta	◆	◆	◆	◆	◆	◆	◆
Ivermectin	◆	◆	◆	■	◆	◆	◆
Levodopa	◆	◆	◆	◆	◆	◆	◆
Levothyroxine	◆	◆	◆	◆	◆	◆	◆
Magnesium sulphate (IV)	◆	◆	◆	◆	◆	◆	◆
Melatonin	◆	◆	◆	◆	◆	◆	◆
Memantine	◆	◆	◆	◆	◆	◆	◆
Methylergometrine	◆	◆	◆	●	◆	◆	◆
Mirabegron	◆	◆	◆	■	◆	◆	◆
Modafinil	◆	◆	◆	▲	◆	◆	◆
Potassium	◆	◆	◆	◆	◆	◆	◆
Pramipexole	◆	◆	◆	◆	◆	◆	◆
Pyridostigmine	◆	◆	◆	◆	◆	◆	◆
Sildenafil (erectile dysfunction)	◆	◆	◆	■	◆	◆	◆
Sulfasalazine	◆	◆	◆	■	◆	◆	◆
Tadalafil (erectile dysfunction)	◆	◆	◆	■	◆	◆	◆
Tamsulosin	◆	◆	◆	●	◆	◆	◆
Steroids							
Beclometasone	◆	◆	◆	◆	◆	◆	◆
Betamethasone	◆	◆	◆	◆	◆	◆	◆
Budesonide (oral/rectal)	◆	◆	◆	◆	◆	◆	◆
Ciclesonide	◆	◆	◆	◆	◆	◆	◆
Clobetasol	◆	◆	◆	◆	◆	◆	◆
Dexamethasone (full dose)	◆	◆	◆	■	◆	◆	◆
Fludrocortisone	◆	◆	◆	◆	◆	◆	◆
Flunisolide	◆	◆	◆	◆	◆	◆	◆
Fluocinolone	◆	◆	◆	◆	◆	◆	◆
Fluticasone	◆	◆	◆	◆	◆	◆	◆
Hydrocortisone (topical)	◆	◆	◆	◆	◆	◆	◆
Megestrol acetate	◆	◆	◆	◆	◆	◆	◆
Methylprednisolone (topical)	◆	◆	◆	◆	◆	◆	◆
Mometasone	◆	◆	◆	◆	◆	◆	◆
Nandrolone	◆	◆	◆	◆	◆	◆	◆
Oxandrolone	◆	◆	◆	◆	◆	◆	◆
Prednisolone	◆	◆	◆	◆	◆	◆	◆
Prednisone	◆	◆	◆	◆	◆	◆	◆
Stanozolol	◆	◆	◆	◆	◆	◆	◆
Testosterone	◆	◆	◆	◆	◆	◆	◆
Triamcinolone	◆	◆	◆	■	◆	◆	◆

Key to symbols

●	These drugs should not be coadministered
■	Potential interaction which may require a dose adjustment or close monitoring
▲	Potential interaction likely to be of weak intensity. Additional action/monitoring or dosage adjustment is unlikely to be required
◆	No clinically significant interaction expected